Energy Efficiency in Buildings (Measurements)



Dr. Erwin E. Edwards



**1** Background

Key Considerations

Performance Indicators

Measure & Monitor



R 0 B E M

S

# Background

**High Dependence on Imported Fossil Fuels** 

Increase Renewable **Energy Implementation** 

**Increasing Energy** Consumption

**Promote Energy** Conservation

**Increasing Cost of Imported Fossil Fuels** 

**Increase Energy Efficiency Implementation** 

**Negative Effects of Climate Change** 


**Climate Change** Adaptation

E S 0 N


SE



# **Key Considerations**









Sample #1
Sample #2

- KWH/Sq. Ft.
- KWH/Qty (Equipment)


Sample #3 Sample #4

- KWH/Rooms
- KWH/Occupants

Sample #5 Sample #6

- KWH/Production Units
- KWH/Investment \$







A 10% inefficiency is inherent in our buildings because of the state of implemented technology

**Building Efficiency** 

Management & Operations account for additional inefficiency and is the major driver behind gross inefficiency


Inefficiency from equipment and technology stabilizes between 10% and 14% even when there is gross inefficiency



• KWH/Sq. Ft. as a sample

$$U = \frac{I_{Best}}{I_E} * 100\%$$

$$U' = 100\% - U$$






## **Monitoring & Evaluation**









## Utility Electricity Data

- · KWH
- · All commercial
- Specific Sector(s)
- Specific Building
- Monthly/Annually

#### **Building Size Data**

- Square Footage
- All Commercial
- Specific Sector(s)
- · Specific Building
- · Additions/Reductions

### Building Configuration Data


- Number of Rooms
- Number of Occupants
- Monthly/Annually

#### **Production Data**

- Number of units
- Monthly/Annually



## Monitoring & Evaluation





# Thank You

- Dr. Erwin E. Edwards
- 1 (246) 234-5770
- www.atomsolutionsinc.com